



# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral FA 5W-30 synthetic diesel oil**

Version: 1      Latest revision:      Date of issue: 15. 04. 2021      Page: 1/(13)

## SECTION 1 Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier:

**MOL Dynamic Mistral FA 5W-30 synthetic diesel oil**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: synthetic diesel motor oil.

Uses advised against: application other than the above.

### 1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Distribution and Service Ltd.

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Distribution and Service Ltd.

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL LUB Kft.

Tel: +36 80 201 296

E-mail: EBKHelpdesk@MOL.hu

### 1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15<sup>20</sup> h (CET)): +36 34 526 210

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).

+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

National Health Toxicological Information Service:

## SECTION 2 Hazards identification

### 2.1 Classification of the substance or mixture

Hazard Class and Category:      Hazard statement:

Not classified.



## SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral FA 5W-30 synthetic diesel oil**

Version: 1      Latest revision:      Date of issue: 15. 04. 2021      Page: 2/(13)

### 2.2 Label elements

Product identification: Trade name: **MOL Dynamic Mistral FA 5W-30 synthetic diesel oil**

Hazardous components: -

GHS Pictogram: Not required.

Signal word: Not required.

Hazard statement: -

Supplemental hazard information:

**EUH208** Contains 2,5-Furandione, polymer with 1-hexadecene, methyloxirane polymer with oxirane bis (2-aminopropyl) ether and 2-methyl-1-propene, 4-(phenylamino) phenyl imide; Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol; Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts; Calcium long chain alkaryl sulfonate (C20-26). May produce an allergic reaction.

Precautionary statements – General: -

Precautionary statements – Prevention:

**P273** Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:

**P501** Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

### 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.

## SECTION 3 Composition/information on ingredients

### 3.2 Mixtures

Chemical description: Mixture of refined mineral base oils and hydrotreated neutral oil containing additives.



# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral FA 5W-30 synthetic diesel oil**

Version: 1      Latest revision:      Date of issue: 15. 04. 2021      Page: 3/(13)

## Component(s) / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Distillates (petroleum), hydrotreated heavy paraffinic* REACH Registr. Nr.: 01-2119484627-25	265-157-1	64742-54-7	- (Note L)	-	max. 50
Distillates (petroleum), hydrotreated heavy paraffinic* REACH Registr. Nr.: 01-2119484627-25	265-157-1	64742-54-7	Asp. Tox. 1 (Note L)	H304	max. 30
Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl) propionate REACH registration Nr.: 01-0000015551-76	406-040-9	125643-61-0	Aquatic Chronic 4	H413	max. 4.0
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated REACH registration Nr.: no data	603-861-6	134758-95-5	Aquatic Chronic 4	H413	max. 4.0
2,5-Furandione, polymer with 1-hexadecene, methyloxirane polymer with oxirane bis (2-aminopropyl) ether and 2-methyl-1-propene, 4-(phenylamino) phenyl imide REACH registration Nr.: no data	-	873694-48-5	Skin Sens. 1 Aquatic Chronic 4	H317 H413	max. 2.5
Polyolefin polyamine succinimide, polyol REACH Registr. Nr.: no data	604-611-9	147880-09-9	Aquatic Chronic 4	H413	max. 2.5
Reaction products of Benzenamine, N-phenyl- with nonene (branched) REACH Registr. Nr.: 01-2119488911-28	253-249-4	36878-20-3	Aquatic Chronic 4	H413	max. 1.5



# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral FA 5W-30 synthetic diesel oil**

Version: 1      Latest revision:      Date of issue: 15. 04. 2021      Page: 4/(13)

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Calcium long chain alkaryl sulfonate (C20-26) REACH Registr. Nr.: no data	polymer	722503-69-7	Aquatic Chronic 4	H413	max. 1.5
Zinc alkyl dithiophosphate*** REACH Registr. Nr.: 01-2119657973-23	272-238-5	68784-31-6	Eye Dam. 1 Aquatic Chronic 2	H318 H411	max 1.2
Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol REACH Registr. Nr.: 01-2120067755-46	806-731-9	1428353-74-5	Skin Sens. 1 Eye Irrit. 2 Aquatic Chronic 2	H317 H319 H411	max. 0.9
Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts REACH Registr. Nr.: no data	polymer	722503-68-6	Skin Sens. 1B Aquatic Chronic 4	H317 H413	max. 0.25
Calcium long chain alkaryl sulfonate (C20-26) REACH Registr. Nr.: no data	polymer	722503-69-7	Skin Sens. 1B Aquatic Chronic 4	H317 H413	max. 0.25

\* with exposure limit

\*\* Specific concentration limit: Skin Sens. 1:  $C > 5\%$

\*\*\* Specific concentration limit: Skin Irrit. 2:  $C \geq 5\%$ ; Eye Dam. 1:  $C > 10\%$ ;  
Eye Irrit. 2:  $5\% \leq C \leq 10\%$

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

The full text of each relevant H-phrase and Hazard classes and cat. see in Section 16.

## SECTION 4 First aid measures

### 4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. In case of a complaint, call medical attention.



## SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral FA 5W-30 synthetic diesel oil**

Version: 1      Latest revision:      Date of issue: 15. 04. 2021      Page: 5/(13)

Skin contact:                      Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of a complaint, get medical attention.  
Eye contact:                      Flush eyes with plenty of water for 10-15 minutes. In case of a complaint, get medical attention.  
Ingestion:                      If swallowed, give water. **Do not** induce vomiting. Get medical attention.  
Protection of first-aid person: No data available.

- 4.2 Most important symptoms and effects, both acute and delayed  
May produce an allergic reaction.  
Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.
- 4.3 Indication of any immediate medical attention and special treatment needed  
Not required.

### SECTION 5 Fire-fighting measures

Fire hazards:  
Combustible.

- 5.1 Extinguishing media  
Suitable extinguishing media:  
Foam, carbon dioxide, dry chemical powder.  
Unsuitable extinguishing media:  
Water jet.
- 5.2 Special hazards arising from the substance or mixture  
Hazardous combustion products:  
On burning, carbon dioxide, carbon monoxide, sulphur oxides, nitrogen oxides, phosphor oxides, various hydrocarbons and soot can be formed.
- 5.3 Advice for fire-fighters  
Special protective equipment:  
According to the existing fire-fighting regulations. Respiratory protection.  
Further information:  
Collect contaminated firefighting water separately. It must not enter the sewage system.  
Contaminated extinguishing water must be disposed of in accordance with official regulations.



## SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral FA 5W-30 synthetic diesel oil**

Version: 1      Latest revision:      Date of issue: 15. 04. 2021      Page: 6/(13)

### SECTION 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures  
Personal precautions: see Section 8.  
Danger of slipping on leaked out/spilled product.
- 6.2 Environmental precautions:  
Confine spills to prevent material from entering sewers, watercourses, drains and into soil  
Notify relevant authority.
- 6.3 Methods and material for containment and cleaning up  
On soil: All kind of ignition sources should be removed. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.  
On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.
- 6.4 Reference to other sections  
Personal precautions: see section 8.  
Waste treatment methods: see section 13.

### SECTION 7 Handling and storage

- 7.1 Precautions for safe handling  
Keep general measures applied for normal operations with lubricants and flammable liquids.  
Keep away from radiant heat and open flame.  
Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.  
Ensure washing facilities after working hours and before breaks. Take off contaminated clothing and wash it before reuse.  
When using do not eat, drink or smoke. Avoid splashing the product.  
Handling temperature: not known
- 7.2 Conditions for safe storage, including any incompatibilities  
Storage facilities must comply with regulations for storing of flammable liquids.  
Store in dry, well ventilated place in original, closed containers.  
Keep away from radiant heat, open flame and strong oxidizing agents.  
Storage temperature: max. 40°C
- 7.3 Specific end use(s)  
Synthetic diesel motor oil.



## SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral FA 5W-30 synthetic diesel oil**

Version: 1

Latest revision:

Date of issue: 15. 04. 2021

Page: 7/(13)

### SECTION 8 Exposure controls / personal protection

#### 8.1 Control parameters:

**Mineral oil mist:** TWA: **5 mg/m<sup>3</sup>**; STEL: 10 mg/m<sup>3</sup>, for oil mist, vapour excluded (ACGIH).  
Method of testing, recommended: NIOSH 5026

#### 8.2 Exposure controls

Engineering control measures:

Not required.

Personal protection:

- (a) Eye/face protection Protective goggles, if splashes may occur (EN 166).
- (b) Skin protection
  - (i) Hand protection Oil resistant gloves (according to MSZ EN 374, DBZ breakthrough time: > 480 min; PK power rating: 6; PR pass rate: 0).  
Note: Manufacturer's directions for use and the conditions of application should be observed.
  - (ii) Other Protective clothing (oil resistant).
- (c) Respiratory protection Under normal conditions not required. In case of exceeded exposure-limits respiratory protection with particle-filter is recommended.
- (d) Thermal hazards No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

### SECTION 9 Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

- a) Physical state: liquid
- b) Colour: bright, clean
- c) Odour: characteristic, not with an unpleasant smell of mineral oil
- d) Melting point/freezing point (Pour point) (ISO 3016): -42°C
- e) Boiling point or initial boiling point and boiling range: no data
- f) Flammability: combustible
- g) Lower and upper explosion limit: no data
- h) Flash point (COC) (EN ISO 2592): 230°C
- i) Auto-ignition temperature: no data



# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral FA 5W-30 synthetic diesel oil**

Version: 1

Latest revision:

Date of issue: 15. 04. 2021

Page: 8/(13)

- |                                                           |                                  |
|-----------------------------------------------------------|----------------------------------|
| j) Decomposition temperature:                             | no data                          |
| k) pH:                                                    | not applicable                   |
| l) Kinematic viscosity (EN ISO 3104):                     |                                  |
| Kinematic viscosity at 40°C:                              | 58.2 mm <sup>2</sup> /s          |
| Kinematic viscosity at 100°C:                             | 9.7 mm <sup>2</sup> /s           |
| m) Solubility                                             |                                  |
| Solubility in water:                                      | insoluble in water               |
| Solubility in other solvents:                             | gasoline, kerosene, toluene etc. |
| n) Partition coefficient n-octanol/water (log value):     | no data                          |
| o) Vapour pressure at 20°C:                               | negligible                       |
| p) Density and/or relative density at 15°C (EN ISO 12185) | 0.845 – 0.865 g/cm <sup>3</sup>  |
| q) Relative vapour density:                               | no data                          |
| r) Particle characteristics:                              | no data                          |

## 9.2 Other information

no data available

## SECTION 10 Stability and reactivity

- |                                          |                                                                                                                       |
|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| 10.1 Reactivity:                         | Dangerous reactivity not known.                                                                                       |
| 10.2 Chemical stability:                 | No decomposition if stored and handled properly.                                                                      |
| 10.3 Possibility of hazardous reactions: | Not known.                                                                                                            |
| 10.4 Conditions to avoid:                | Direct heat or ignition sources.                                                                                      |
| 10.5 Incompatible materials:             | Strong oxidizing agents.                                                                                              |
| 10.6 Hazardous decomposition products:   | No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5. |

## SECTION 11 Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

Oral:	LD <sub>50</sub> (rat)	> 2000 mg/kg	(based on components)
Dermal:	LD <sub>50</sub> (rabbit)	> 2000 mg/kg	(based on components)

Components:

*Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7):*

Oral:	LD <sub>50</sub> (rat)	> 5000 mg/kg
Dermal:	LD <sub>50</sub> (rabbit)	> 5000 mg/kg
Inhalation:	LC <sub>50</sub> (rat)	> 5.00 mg/l (4 h)





# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral FA 5W-30 synthetic diesel oil**

Version: 1      Latest revision:      Date of issue: 15. 04. 2021      Page: 9/(13)

Skin corrosion/irritation:	Based on available data, the classification criteria are not met
Serious eye damage/irritation:	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation:	Based on available data, the classification criteria are not met
Germ cell mutagenicity:	Based on available data, the classification criteria are not met
Carcinogenicity:	Based on available data, the classification criteria are not met
Reproductive toxicity:	Based on available data, the classification criteria are not met
STOT-single exposure:	Based on available data, the classification criteria are not met
STOT-repeated exposure:	Based on available data, the classification criteria are not met
Aspiration hazard:	Based on available data, the classification criteria are not met

11.2 Information on other hazards  
No data.

## SECTION 12 Ecological information

12.1 Toxicity      No data for the product.

Components:

*Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7):*

Fish ( <i>Pimephales promelas</i> ):	NOEL	≥100 mg/L	96 h
Fish ( <i>Oncorhynchus mykiss</i> ):	NOEL	>1000 mg/L	28 days
Daphnia ( <i>Daphnia magna</i> ):	NOEL	> 10 000 mg/L	48 h
Daphnia ( <i>Daphnia magna</i> ):	NOEL	> 100 mg/L	21 days
Algae ( <i>Pseudokirchinella subcapitata</i> ):	NOEL	≥100 mg/L	72 h

12.2 Persistence and degradability      No data for the product.

Biodegradability:      No data available.

12.3 Bioaccumulative potential      No data available.

*Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7):*      log Kow: > 6

12.4 Mobility in soil:      Absorbs in soil.

Mobility in water:      Floats on water.

12.5 Results of PBT and vPvB assessment      Does not contain PBT and vPvB substances.

12.6 Endocrine disrupting properties      None.

12.7 Other adverse effects

Heavy metal content:      None.



# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral FA 5W-30 synthetic diesel oil**

Version: 1      Latest revision:      Date of issue: 15. 04. 2021      Page: 10/(13)

PCT, PCB and other chlorinated hydrocarbons:	None.
Environmental effects:	Large spills may be hazardous to the environment.
Water hazard class (German):	WGK 1 (Classification by AwSV)

## SECTION 13 Disposal considerations

### 13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 05\*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Waste Identification Code: 13 02 06\*

Synthetic engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations.

It is the responsibility of the user to know all relevant national and local regulations.

## SECTION 14 Transport information

Land transport:

Road/ Railway	ADR/RID:	Not classified.
---------------	----------	-----------------

14.1 UN number or ID number:	Not classified.
------------------------------	-----------------

14.2 UN proper shipping name:	Not classified.
-------------------------------	-----------------

14.3 Transport hazard class(es):	Not classified.
----------------------------------	-----------------

14.4 Packing group:	Not classified.
---------------------	-----------------



# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral FA 5W-30 synthetic diesel oil**

Version: 1      Latest revision:      Date of issue: 15. 04. 2021      Page: 11/(13)

14.5 Environmental hazards: Not classified.  
14.6 Special precautions for user: Not classified.

Waterways:

Inland waterways/ Sea transport      ADN/IMDG:      Not apply to the product.

Air transport:      ICAO / IATA:      Not apply to the product.

## SECTION 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008.

Seveso category: not classified

15.2 Chemical safety assessment.  
not available

## SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

*Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP):*

Not classified.

*The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:*

H304      May be fatal if swallowed and enters airways.

H317      May cause an allergic skin reaction.

H318      Causes serious eye damage.

H319      Causes serious eye irritation.



# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral FA 5W-30 synthetic diesel oil**

Version: 1

Latest revision:

Date of issue: 15. 04. 2021

Page: 12/(13)

H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Asp. Tox. 1	Aspiration hazard Category 1
Skin Sens. 1	Respiratory/skin sensitization Category 1
Skin Sens. 1B	Respiratory/skin sensitization Category 1B
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Aquatic Chronic 2	Hazardous to the aquatic environment, Chronic Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment, Chronic Category 4

## *Legend:*

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcinogenic, Mutagenic or Toxic for Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec <sub>x</sub>	Effective Concentration x%
ErC <sub>50</sub>	EC <sub>50</sub> in terms of reduction of growth rate
Ed <sub>x</sub>	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC <sub>x</sub>	Lethal Concentration x%
LD <sub>x</sub>	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration



# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral FA 5W-30 synthetic diesel oil**

Version: 1      Latest revision:      Date of issue: 15. 04. 2021      Page: 13/(13)

LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

## Revision Indicators:

Section	Subject of change	Date	Version